

Features

[Key Features](#)[Compare Editions](#)[EVE-Pro Roadmap](#)[Gallery](#)

Features/Edition	Community	Professional	Learning Center	Description
Price	Free	99 EUR w/o VAT	99 EUR + Added Roles	
User's roles	admin only	admin only	admin, user, editor	Restrictions of the EVE usage, WEB UI, per user based
Lock user per folder	✗	✗	✓	User cannot see other EVE folders, only his own
Lock user edit rights	✗	✗	✓	User cannot edit labs, images etc
Shared Lab Folder	✗	✗	✓	Shared lab folder visible for all users
User's account validity (1/4 Hour accuracy)	✗	✗	✓	Ability to set calendar validity for account, Date and time (From -> To)
Lab Timer	✗	✓	✓	Timer for Lab training
Running labs folder	✗	✓	✓	User can run more than one lab. Running labs will appear in special running labs folder. Per user based

Node limit per lab	63	1024	1024	Limit of nodes to run per lab
TCP ports	fixed 128 per POD	Dynamic 1-65000	Dynamic 1-65000	Automatic TCP port choose for telnet session
Local Wireshark capture	✓	✗	✗	Local wrapper using ssh and root password to the EVE
Local Telnet client	✓	✓	✓	Local wrapper using locally installed telnet client
Local VNC client	✓	✓	✓	Local wrapper using locally installed vnc client
Wireshark integrated	✗	✓	✓	Docker integrated wireshark
Docker container support	✗	✓	✓	Docker container support
Running nodes interface connections (hot connections)	✗	✓	✓	Hot/live nodes interface connection
NAT Cloud	✗	✓	✓	Integrated NAT cloud, connect node to the internet. NAT the EVE management interface DHCP 172.29.129.0/24 gateway .254
HTML console without Wireshark capture	✓	✗	✗	HTML console
HTML console with Wireshark capture	✗	✓	✓	HTML wireshark capture
HTML Desktop Console	✗	✓	✓	Integrated Docker PC management
Multi startup configuration choose per lab	✗	✓	✓	Option to create and boot lab from different startup configurations, multi startup config

Export/Import configs or config packs to local PC	✘	✓	✓	Option import and export single config or config packs to lab
EVE user Radius authentication	✘	✓	✓	Multi Radius servers support
Custom image template, cli based	✘	✓	✓	Option create own image templates.
EVE Lab chat	✘	✓	✓	Lab chat between EVE lab users.
Custom MAC address for Qemu nodes	✘	✓	✓	Option to change first interface MAC address for qemu nodes
Link Quality, Delay, packet loss, jitter	✘	✓	✓	Feature allows apply link quality functions: packet loss, delay and rate
Link design feature	✘	✓	✓	Option to change connection colour, style
Rich integrated text editor	✘	✓	✓	Rich HTML text editor for text and objects management the lab.
Advanced Lab design objects	✘	✓	✓	Round square, lines, arrowed lines, style and colour
Admin user option to join in other user lab	✘	✓	✓	Admin user can join to the other user lab in the parallel session
Admin user option to open parallel console session to other user node	✘	✓	✓	Admin user can open parallel console session to other user node
Running labs and nodes management	✘	✓	✓	Admin can manage other user running labs and nodes. or stop labs or nodes.
EVE Cook Book	✓	✓	✓	EVE Professional or Community Cook Book

Info about HDD/labs use per user, User infoweb GUI	✘	✓	✓	Information about user HDD resource use
User quota (limit cpu/ram per user)	✘	✘	✓	Limit cpu/ram per user. User profile EVE resource usage limitation.
Serial interface capture (IOL only)	✘	✓	✓	HDLC/PPP/Frame Relay support for serial's links
Link state and suspend / resume	✘	✓	✓	Link state support for Qemu, IOL, Dockers
Dark Mode	✓	✓	✓	Switch Lab view mode to Dark or Light mode
Lab Task management	✘	✓	✓	Option to add offline pdf or online document into lab Task

EVE-NG hosting partners. Rent EVE server online.



[Visit Cloud My Lab for offer detail](#)

Official partnership. Solution tested and approved by EVE-NG Ltd

© EVE-NG Ltd 2020
info@eve-ng.net
 Company Number 10152731
 London, United Kingdom